

WRe POMPY WIELOSTOPNIOWE PIONOWE STEROWANE ELEKTRONICZNIE Z PRZETWORNIKIEM CIŚNIENIA



Typ pompy	Silnik [kW]	Napięcie [V]	Przyłącza	Numer katalogowy	Kategoria dostaw	Grupa rabatowa	Cena EUR
25WRe30/1 P	0.37	1~230-240	G1"	A022-025-1-030-02	C	BZ	1 047
25WRe70/1 P	0.37	1~230-240	G1"	A022-025-1-070-02	C	BZ	1 137
25WRe110/1 P	0.55	1~230-240	G1"	A022-025-1-110-02	C	BZ	1 250
25WRe150/1 P	0.75	1~230-240	G1"	A022-025-1-150-02	C	BZ	1 371
25WRe190/1 P	1.1	1~230-240	G1"	A022-025-1-190-02	C	BZ	1 480
25WRe230/1 P	1.1	1~230-240	G1"	A022-025-1-230-02	C	BZ	1 584
25WRe300/1 P	1.5	3~400-415	DN 25/DN 32	A022-025-1-300-02	C	BZ	2 178
25WRe360/1 P	2.2	3~400-415	DN 25/DN 32	A022-025-1-360-02	C	BZ	2 633
25WRe50/3 P	0.37	1~230-240	G1"	A022-025-3-050-02	C	BZ	1 123
25WRe70/3 P	0.55	1~230-240	G1"	A022-025-3-070-02	C	BZ	1 201
25WRe100/3 P	0.75	1~230-240	G1"	A022-025-3-100-02	C	BZ	1 306
25WRe150/3 P	1.1	1~230-240	G1"	A022-025-3-150-02	C	BZ	1 458
25WRe190/3 P	1.5	3~400-415	G1"	A022-025-3-190-02	C	BZ	1 958
25WRe230/3 P	2.2	3~400-415	G1"	A022-025-3-230-02	C	BZ	2 271
25WRe290/3 P	2.2	3~400-415	DN 25/DN 32	A022-025-3-290-02	C	BZ	2 453
25WRe360/3 P	3.0	3~400-415	DN 25/DN 32	A022-025-3-360-02	C	BZ	2 824
32WRe20/5 P	0.37	1~230-240	G1 1/4"	A022-032-5-020-02	C	BZ	1 109
32WRe40/5 P	0.55	1~230-240	G1 1/4"	A022-032-5-040-02	C	BZ	1 184
32WRe80/5 P	1.1	1~230-240	G1 1/4"	A022-032-5-080-02	C	BZ	1 350
32WRe100/5 P	1.5	3~400-415	G1 1/4"	A022-032-5-100-02	C	BZ	1 830
32WRe160/5 P	2.2	3~400-415	G1 1/4"	A022-032-5-160-02	C	BZ	2 271
32WRe200/5 P	3.0	3~400-415	G1 1/4"	A022-032-5-200-02	C	BZ	2 617
32WRe290/5 P	4.0	3~400-415	DN 25/DN 32	A022-032-5-290-02	C	BZ	3 076
32WRe360/5 P	5.5	3~400-415	DN 25/DN 32	A022-032-5-360-02	C	BZ	3 445
40WRe10/10 P	0.37	1~230-240	G1 1/2"	A022-040-10-010-02	C	BZ	1 371
40WRe20/10 P	0.75	1~230-240	G1 1/2"	A022-040-10-020-02	C	BZ	1 481
40WRe30/10 P	1.1	1~230-240	G1 1/2"	A022-040-10-030-02	C	BZ	1 633
40WRe40/10 P	1.5	3~400-415	G1 1/2"	A022-040-10-040-02	C	BZ	2 074
40WRe60/10 P	2.2	3~400-415	G1 1/2"	A022-040-10-060-02	C	BZ	2 506
40WRe90/10 P	3.0	3~400-415	G1 1/2"	A022-040-10-090-02	C	BZ	2 850
40WRe120/10 P	4.0	3~400-415	G1 1/2"	A022-040-10-120-02	C	BZ	3 362
40WRe160/10 P	5.5	3~400-415	G1 1/2"	A022-040-10-160-02	C	BZ	3 814
40WRe220/10 P	7.5	3~400-415	DN 40	A022-040-10-220-02	C	BZ	4 569
50WRe10/15 P	1.1	1~230-240	DN 50	A022-050-15-010-02	C	BZ	1 637
50WRe20/15 P	2.2	3~400-415	DN 50	A022-050-15-020-02	C	BZ	2 423
50WRe30/15 P	3.0	3~400-415	DN 50	A022-050-15-030-02	C	BZ	2 763
50WRe50/15 P	4.0	3~400-415	DN 50	A022-050-15-050-02	C	BZ	3 234
50WRe70/15 P	5.5	3~400-415	DN 50	A022-050-15-070-02	C	BZ	3 649
50WRe90/15 P	7.5	3~400-415	DN 50	A022-050-15-090-02	C	BZ	4 331
50WRe10/20 P	1.1	1~230-240	DN 50	A022-050-20-010-02	C	BZ	1 637
50WRe20/20 P	2.2	3~400-415	DN 50	A022-050-20-020-02	C	BZ	2 423
50WRe30/20 P	4.0	3~400-415	DN 50	A022-050-20-030-02	C	BZ	3 234
50WRe50/20 P	5.5	3~400-415	DN 50	A022-050-20-050-02	C	BZ	3 649
50WRe70/20 P	7.5	3~400-415	DN 50	A022-050-20-070-02	C	BZ	4 331
50WRe100/20 P	11.0	3~400-415	DN 50	A022-050-20-100-02	C	BZ	9 061
50WRe140/20 P	15.0	3~400-415	DN 50	A022-050-20-140-02	C	BZ	10 788
50WRe170/20 P	18.5	3~400-415	DN 50	A022-050-20-170-02	C	BZ	13 341

WRe

**POMPY WIELOSTOPNIOWE PIONOWE STEROWANE ELEKTRONICZNIE
Z PRZETWORNIKIEM CIŚNIENIA**



Typ pompy	Silnik [kW]	Napięcie [V]	Przyłącza	Numer katalogowy	Kategoria dostaw	Grupa rabatowa	Cena EUR
65WRe10-1/32 P	1.5	3~400-415	DN 65	A022-065-011-02	C	BZ	CENY NA ZAPYTANIE
65WRe10/32 P	2.2	3~400-415	DN 65	A022-065-010-02	C	BZ	
65WRe20-2/32 P	3.0	3~400-415	DN 65	A022-065-022-02	C	BZ	
65WRe20/32 P	4.0	3~400-415	DN 65	A022-065-020-02	C	BZ	
65WRe30/32 P	5.5	3~400-415	DN 65	A022-065-030-02	C	BZ	
65WRe40/32 P	7.5	3~400-415	DN 65	A022-065-040-02	C	BZ	
65WRe60/32 P	11.0	3~400-415	DN 65	A022-065-060-02	C	BZ	
65WRe80/32 P	15.0	3~400-415	DN 65	A022-065-080-02	C	BZ	
65WRe100/32 P	18.5	3~400-415	DN 65	A022-065-100-02	C	BZ	
65WRe120/32 P	22.0	3~400-415	DN 65	A022-065-120-02	C	BZ	
80WRe10-1/45 P	3.0	3~400-415	DN 80	A022-080-011-02	C	BZ	
80WRe10/45 P	4.0	3~400-415	DN 80	A022-080-010-02	C	BZ	
80WRe20-2/45 P	5.5	3~400-415	DN 80	A022-080-022-02	C	BZ	
80WRe20/45 P	7.5	3~400-415	DN 80	A022-080-020-02	C	BZ	
80WRe30/45 P	11.0	3~400-415	DN 80	A022-080-030-02	C	BZ	
80WRe40/45 P	15.0	3~400-415	DN 80	A022-080-040-02	C	BZ	
80WRe50/45 P	18.5	3~400-415	DN 80	A022-080-050-02	C	BZ	
80WRe60/45 P	22.0	3~400-415	DN 80	A022-080-060-02	C	BZ	
100WRe10-1/64 P	4.0	3~400-415	DN 100	A022-100-011-03	C	BZ	
100WRe10/64 P	5.5	3~400-415	DN 100	A022-100-010-03	C	BZ	
100WRe20-2/64 P	7.5	3~400-415	DN 100	A022-100-022-03	C	BZ	
100WRe20/64 P	11.0	3~400-415	DN 100	A022-100-020-03	C	BZ	
100WRe30-1/64 P	15.0	3~400-415	DN 100	A022-100-031-02	C	BZ	
100WRe40-2/64 P	18.5	3~400-415	DN 100	A022-100-042-02	C	BZ	
100WRe40/64 P	22.0	3~400-415	DN 100	A022-100-040-02	C	BZ	
100WRe10-1/90 P	5.5	3~400-415	DN 100	A022-100-011-04	C	BZ	
100WRe10/90 P	7.5	3~400-415	DN 100	A022-100-010-04	C	BZ	
100WRe20-2/90 P	11.0	3~400-415	DN 100	A022-100-022-04	C	BZ	
100WRe20/90 P	15.0	3~400-415	DN 100	A022-100-020-04	C	BZ	
100WRe30-2/90 P	18.5	3~400-415	DN 100	A022-100-032-02	C	BZ	
100WRe30/90 P	22.0	3~400-415	DN 100	A022-100-030-02	C	BZ	